

Caleyá®

OPEN&FEED F-350 VIT [SELECTION HAY] (COMPLEMENTARY FOOD)

DOSAGE

Single forage: It is recommended to apply 1.5 to 2.5 kg per 100 kg of live weight, as a single forage in a minimum of 3 daily intakes.

Mix with hay: Apply 0.5 to 1 kg per 100 kg of live weight mixed with your traditional dry hay. The recommended quantities will depend on the quality of the forage and the type of work. Ensure that animals do not lack clean drinking water.

COMPOSITION

Forage mixtures: Lucerne Henolage, Oatmeal Henolage, Ryegrass Henolage, Pratense Trebolo Henolage, Vegetable Fats (sunflower oil...), Cane Molasses, sodium chloride, calcium carbonate.

ANALYTICAL COMPONENTS

Crude Protein	12,01%
Crude Fat	2,80%
Sugar	3,10%
Starches	2,30%
Crude Fiber	28,50%
Crude Ashes	1,90%
Digestible Energy	10 Mj/kg
Calcium	0,42%
Lysine	0,32 mg/kg
Methionine	0,10 mg/kg
Threonine	0,40 mg/kg
Sodium	0,13%
Magnesium	0,32%
Humidity	42,00%

ADDITIVES

<u>Trace elements or trace element compounds:</u>	
(E4) Copper	3,63 mg/kg
(E1) Iron (Sulfato ferroso monohidratado)	18,00 mg/kg
(3b603;3b607) Zinc	17,00 mg/kg
(E5) Manganese	14,00 mg/kg
(E8;3b811) Selenium	0,082 mg/kg
(3b201) Iodine (Yodato Potásico)	0,12 mg/kg
(3b304) Cobalt (Carbonato de cobalto granulado)	0,06 mg/kg

Vitamins, provitamins and chemically defined substances of analogous effect:

Vitamin A (3a672a)	2,042 U.I./kg
Vitamin D3 (E671)	360 U.I./kg
Vitamin E (3a700)	28,00 mg/kg
Vitamin K3 (Menadiona)	0,162 mg/kg
Vitamin B1 (Tiamina 3 a 821)	2,00 mg/kg
Vitamin B2 (Rivoflavina)	2,00 mg/kg
Vitamin B6 (3 a 831 Clorhidrato de Piridoxina)	1,20 mg/kg
Vitamin B12 (Cobalamina)	24,00 mcg/kg
Vitamin B3 (3 a 315 Niacinamida)	5,00 mg/kg
Vitamin B5 (3 a 841 Pantotenato Cálcico)	2,45 mg/kg
Vitamin B7 (Biotine)	41,00 mcg/kg
Vitamin B9 (Folic Acid)	1,2 mg/kg
Vitamin C	6,00 mg/kg
Choline (3 a 890 Cloruro de Colina)	57,50 mg/kg

Technological Antioxidants:

BHT [E321]	0,032 mg/kg
BHA [E320]	0,02 mg/kg

Binding agents, anti-caking agents and coagulants:

Sepiolite [e562]	240,98 mg/kg
------------------	--------------

Preservatives:

Propionic Acid (E280/E284)	0,003 grs/kg
Citric Acid [E330]	0,032 mg/kg

It is recommended to limit the contribution of cobalt to 0.3 mg/kg in the complete feed. In this context, the risk of cobalt deficiency due to local conditions and the specific composition of the diet should be taken into account.

NET WEIGHT: 30 KG
BEST BEFORE: 12 MONTHS

HISPANO-LUSA DE BIOMASSAS, S.L.

Registration No.: ESP06101061

Pol. Ind. Ramapallas, Camino la charca s/n
06100 Olivenza, Badajoz, España

www.caleyá.es

